
BIZENERGYSAVER PROGRAM PROGRAM REQUIREMENTS

1. PROGRAM DESCRIPTION

The Save on Energy Local Initiatives Program – BizEnergySaver Program provides Participants with instant discounts to upgrade existing lighting and mechanical equipment with Eligible Measures to reduce electricity peak demand (the “**BizEnergySaver Program**”).

The Participants in the BizEnergySaver Program are owners, operators and tenants of industrial, commercial, institutional and multi-family buildings, or Persons with the rights and authority to have the Measures installed, that meet certain eligibility criteria.

The BizEnergySaver Program is offered and administered in the Province of Ontario by the Independent Electricity System Operator (the “**IESO**”) and its Program Delivery Agent(s)

These Program Requirements (Version 8.0) are effective as of May 15, 2025. All Work Order(s) will apply the version of the BizEnergySaver Program requirements in force at the time the Work Order is signed.

2. PROGRAM OFFER / INSTANT DISCOUNT

Subject to the eligibility requirements set out in Section 3, the BizEnergySaver Program provides each Participant with the following services and incentives:

- (a) an Assessment at no charge to the Participant; and
- (b) an Instant Discount for each installed Eligible Measure, calculated in accordance with the Eligible Measures List and shall not exceed 100% of the Measure Cost.

The Participant is responsible for paying the Participant Contribution for the Eligible Measures installed.

For certainty, Participants will only be eligible for an Instant Discount where the Participant has: (i) submitted a signed Work Order and a signed Participant Agreement to the IESO; and (ii) the Eligible Measures are installed on or before August 31, 2027.

3. PROGRAM ELIGIBILITY CRITERIA

3.1 PARTICIPANT ELIGIBILITY

A Participant must:

- (a) not be Residential distribution customer;
- (b) have all required rights and authority to have the Eligible Measure(s) installed;
- (c) agree to all terms and conditions in the Participant Agreement and submit a signed Participant Agreement within 90 days of the Assessment date; and
- (d) submit a signed Work Order to the IESO within 90 days of the Assessment date.

3.2 FACILITY ELIGIBILITY

A Facility must:

- (a) be connected to the IESO-Controlled Grid or a Distribution System; and
- (b) be located in the following Forward Sortation Areas ("**FSAs**"):

Richview South Area of Toronto:

- | | | |
|-------|-------|-------|
| • M5A | • M5T | • M6N |
| • M5C | • M5V | • M6P |
| • M5E | • M6A | • M6R |
| • M5G | • M6B | • M6S |
| • M5H | • M6C | • M8V |
| • M5J | • M6E | • M8W |
| • M5K | • M6G | • M8X |
| • M5L | • M6H | • M8Y |
| • M5M | • M6J | • M8Z |
| • M5N | • M6K | • M9A |
| • M5P | • M6L | • M9B |
| • M5S | • M6M | • M9C |

Ottawa:

- | | | | |
|-------|-------|-------|-------|
| • K1A | • K1P | • K2C | • K2T |
| • K1B | • K1R | • K2E | • K2V |
| • K1C | • K1S | • K2G | • K2W |
| • K1E | • K1T | • K2H | • K4A |
| • K1G | • K1V | • K2J | • K4B |
| • K1H | • K1W | • K2K | • K4M |
| • K1J | • K1X | • K2L | • K4P |
| • K1K | • K1Y | • K2M | |
| • K1L | • K1Z | • K2P | |
| • K1M | • K2A | • K2R | |
| • K1N | • K2B | • K2S | |

3.3 PROJECT ELIGIBILITY

A Project must:

- (a) be comprised of at least one Eligible Measure;
- (b) not be comprised of measure(s) for which a Participant has received, is already receiving or will receive any financial incentives for electrical energy savings through other programs generally funded by energy ratepayers or taxpayers in the Province of Ontario or rebates from manufacturers or wholesalers or other supply chain participants;
- (c) be based on the Work Order(s) presented to and signed by the Participant;
- (d) be completed by an Installer in accordance with a signed Work Order and the electrical safety requirements of the *Electrical Safety Act* (Ontario); and
- (e) have a project completion date no later than the termination date of the BizEnergySaver Program, or such earlier date as may be set out in the Participant Agreement.

3.4 MEASURE ELIGIBILITY

An Eligible Measure installed under the BizEnergySaver Program must:

- (a) be purchased and installed on or after the effective date of these Program Requirements;
- (b) be listed on the Eligible Measures List; and
- (c) conform to all requirements included in the Eligible Measures List.

4. PROGRAM SPECIFIC DEFINITIONS

The following terms have the meaning stated below when used in these Program Requirements:

"Assessment" means a review of the Existing Equipment located at the Facility of a prospective Participant, conducted by the Program Delivery Agent, to assess and evaluate appropriate Eligible Measures for such Facility.

"Assessment Summary" means the document generated following an Assessment via the IESO's Assessment tool, that identifies the quantities of Eligible Measures and the associated Instant Discount amount that the Facility is deemed eligible to receive.

"Distribution System" means a system connected to the IESO-Controlled Grid for distributing electricity at voltages of 50 kV or less and includes any structures, equipment or other thing used for that purpose.

"Eligible Measure" means an Eligible Measure listed in the "Eligible Measures List".

"Eligible Measures List" means the list of measures eligible for implementation (and associated Instant Discount) under the BizEnergySaver Program, as described in Exhibit A.

"Existing Equipment" means the equipment to be replaced by the Eligible Measure(s).

"Facility" means the building, premises, or part thereof, owned, occupied, or operated by the Participant, where the Eligible Measures are to be installed and which meets the Facility Eligibility Criteria.

"Facility Eligibility Criteria" means the eligibility criteria specified in Section 3.2.

"IESO-Controlled Grid" has the meaning given to it in the IESO Market Rules.

"IESO Market Rules" means the rules made under Section 32 of the *Electricity Act, 1998* (Ontario), together with all market manuals, policies, and guidelines issued by the IESO or its successor.

"Installer" means the qualified Program Delivery Agent personnel responsible for installing Eligible Measures in a Facility in accordance with a signed Work Order for the Facility under the BizEnergySaver Program.

"Instant Discount" means the financial incentive a Participant is eligible to receive for the installation of Eligible Measures, as approved by the Program Delivery Agent (on behalf of the IESO) in accordance with the Program Requirements (Version 8.0), the applicable Work Order and the Participant Agreement.

"Measure Cost" means the price of an Eligible Measure, including the cost of installation, reflected in the applicable Work Order.

"Measure Eligibility Criteria" means the eligibility criteria specified in Section 3.4.

"Participant" means, in respect of the BizEnergySaver Program, an eligible business

entity or person who (i) has satisfied the Program eligibility criteria set out in Section 3, and (ii) is party to a valid Participant Agreement with the IESO.

"Participant Agreement" means the agreement between the IESO and the Participant setting out the terms and conditions of the Participant's participation in the BizEnergySaver Program.

"Participant Contribution" means, the amount payable by the Participant to the Program Delivery Agent as stated in the Work Order, calculated as the total cost of the Eligible Measures installed less the total Instant Discount of the Eligible Measures received by the Participant.

"Participant Eligibility Criteria" means the eligibility criteria specified in Section 3.1.

"Program Delivery Agent(s)" means the service provider(s) under contract with the IESO to provide program delivery services for the BizEnergySaver Program.

"Program Requirements" means the terms and conditions contained herein governing the BizEnergySaver Program.

"Project" means one or more Eligible Measures that are expected to be implemented in accordance with the eligibility requirements, pursuant to the BizEnergySaver Program.

"Residential" means electricity consumers in Ontario that are classified as residential in the most recent Yearbook of Electricity Distributors published by the Ontario Energy Board.

"Work Order" means the work order containing the Participant, Facility and Project details, including the name and quantity of applicable Eligible Measures to be installed, details and quantity of all existing equipment to be replaced, Measure Costs, Instant Discount amounts, and Participant Contribution, as identified through the Assessment Summary, which must be signed by the Participant prior to the commencement of any work related to the installation of an Eligible Measure and after the completion of work related to the installation of an Eligible Measure.

Exhibit "A" ELIGIBLE MEASURES LIST

Part 1. Lighting Measures

All installed lighting systems must include sensors; measures without sensors cannot be implemented without a corresponding sensor measure also being implemented at the same time. Occupancy sensors, ceiling/wall-mounted, switch-plate/fixture-mounted, and luminaire level lighting controls are eligible where no controls are currently installed. Sensors must be commercial grade, and the principle of operation shall be passive, infrared, ultrasonic, or a combination. Switches with a manual override "on" are not eligible.

Lighting products eligible for instant discounts must be listed with DesignLights Consortium® or ENERGYSTAR®. Replacement of LEDs is not eligible. Replacement of exterior lighting is not eligible.

MEASURE DESCRIPTION	BASE MEASURE	ENERGY SAVINGS [kWh]	PEAK DEMAND SAVINGS [kW]	INSTANT DISCOUNT ⁽¹⁾ [\$]
LED Round surface mount fixture	2-Lamp CFL, operates 8,760 hours/year	105	0.015	\$25.00
LED Round surface mount fixture	3-Lamp CFL, operates 8,760 hours/year	219	0.031	\$52.00
LED Round surface mount sensor fixture	2-Lamp CFL, operates 8,760 hours/year	204	0.029	\$48.00
LED Round surface mount sensor fixture	3-Lamp CFL, operates 8,760 hours/year	318	0.046	\$75.00
LED Potlight fixture	1-Lamp 13W-18W CFL, operates 8,760 hours/year	61	0.009	\$14.00
LED Potlight fixture	1-Lamp 26W CFL, operates 8,760 hours/year	149	0.021	\$35.00
LED Potlight fixture	1-Lamp 32W CFL, operates 8,760 hours/year	166	0.024	\$40.00
LED Potlight fixture	1-Lamp 42W CFL, operates 8,760 hours/year	210	0.030	\$50.00
LED Potlight fixture + sensor	1-Lamp 13W-18W CFL, operates 8,760 hours/year	128	0.018	\$31.00
LED Potlight fixture + sensor	1-Lamp 26W CFL, operates 8,760 hours/year	216	0.031	\$51.00
LED Potlight fixture + sensor	1-Lamp 32W CFL, operates 8,760 hours/year	263	0.038	\$63.00
LED Potlight fixture + sensor	1-Lamp 42W CFL, operates 8,760 hours/year	350	0.050	\$83.00
LED Potlight fixture	2-Lamp 13W-18W CFL, operates 8,760 hours/year	166	0.024	\$40.00
LED Potlight fixture	2-Lamp 26W CFL, operates 8,760 hours/year	219	0.031	\$52.00
LED Potlight fixture	2-Lamp 32W CFL, operates 8,760 hours/year	324	0.046	\$77.00
LED Potlight fixture	2-Lamp 42W CFL, operates 8,760 hours/year	420	0.060	\$99.00

MEASURE DESCRIPTION	BASE MEASURE	ENERGY SAVINGS [kWh]	PEAK DEMAND SAVINGS [kW]	INSTANT DISCOUNT ⁽¹⁾ [\$]
LED Potlight fixture + sensor	2-Lamp 13W-18W CFL, operates 8,760 hours/year	263	0.038	\$63.00
LED Potlight fixture + sensor	2-Lamp 26W CFL, operates 8,760 hours/year	438	0.063	\$103.00
LED Potlight fixture + sensor	2-Lamp 32W CFL, operates 8,760 hours/year	534	0.077	\$127.00
LED Potlight fixture + sensor	2-Lamp 42W CFL, operates 8,760 hours/year	710	0.102	\$168.00
LED Potlight fixture	MR16 50W Halogen or Inc, operates 8,760 hours/year	350	0.050	\$83.00
LED Potlight fixture + sensor	MR16 50W Halogen or Inc, operates 8,760 hours/year	423	0.061	\$100.00
LED Wall sconce	1-Lamp 13-18W CFL, operates 8,760 hours/year	61	0.009	\$14.00
LED Wall sconce	2-Lamp 13-18W CFL, operates 8,760 hours/year	140	0.020	\$33.00
LED Wall sconce + sensor	1-Lamp 13-18W CFL, operates 8,760 hours/year	127	0.018	\$30.00
LED Wall sconce + sensor	2-Lamp 13-18W CFL, operates 8,760 hours/year	251	0.036	\$59.00
LED Garbage chute sensor fixture	1-Lamp CFL, operates 8,760 hours/year	110	0.016	\$26.00
LED Fixture	4' 4-Lamp T12 fixture, operates 8,760 hours/year	1,016	0.146	\$189.00
LED Fixture	4' 4-Lamp T8 fixture, operates 8,760 hours/year	736	0.105	\$174.00
LED Fixture	4' 4-Lamp T5 fixture, operates 8,760 hours/year	736	0.105	\$174.00
LED Fixture	4' 4-Lamp T5 HO fixture, operates 8,760 hours/year	1,042	0.149	\$246.00
LED Fixture	4' 3-Lamp T12 fixture, operates 8,760 hours/year	736	0.105	\$174.00
LED Fixture	4' 3-Lamp T8 fixture, operates 8,760 hours/year	526	0.075	\$124.00
LED Fixture	4' 3-Lamp T5 fixture, operates 8,760 hours/year	526	0.075	\$124.00
LED Fixture	4' 3-Lamp T5 HO fixture, operates 8,760 hours/year	727	0.104	\$172.00
LED Fixture	4' 2-Lamp T12 fixture, operates 8,760 hours/year	508	0.073	\$120.00
LED Fixture	4' 2-Lamp T8 fixture, operates 8,760 hours/year	368	0.053	\$87.00
LED Fixture	4' 2-Lamp T5 fixture, operates 8,760 hours/year	315	0.045	\$75.00
LED Fixture	4' 2-Lamp T5 HO fixture, operates 8,760 hours/year	683	0.098	\$162.00
LED Fixture	4' 1-Lamp T12 fixture, operates 8,760 hours/year	280	0.040	\$60.00
LED Fixture	4' 1-Lamp T8 fixture, operates 8,760 hours/year	166	0.024	\$36.00
LED Fixture	8' 2-Lamp T12 fixture, operates 8,760 hours/year	1,016	0.146	\$240.00
LED Fixture	8' 2-Lamp T8 fixture, operates 8,760 hours/year	736	0.105	\$174.00
LED Fixture	8' 1-Lamp T12 fixture, operates 8,760 hours/year	508	0.073	\$120.00
LED Fixture	8' 1-Lamp T8 fixture, operates 8,760 hours/year	368	0.053	\$87.00
LED Sensor fixture	4' 4-Lamp T12 fixture, operates 8,760 hours/year	1,337	0.192	\$229.00
LED Sensor fixture	4' 4-Lamp T8 fixture, operates 8,760 hours/year	1,057	0.152	\$229.00
LED Fixture	3' 2-Lamp T12 fixture, operates 8,760 hours/year	385	0.055	\$91.00

MEASURE DESCRIPTION	BASE MEASURE	ENERGY SAVINGS [kWh]	PEAK DEMAND SAVINGS [kW]	INSTANT DISCOUNT ⁽¹⁾ [\$]
LED Fixture	3' 2-Lamp T8 fixture, operates 8,760 hours/year	298	0.043	\$70.00
LED Fixture	3' 1-Lamp T12 fixture, operates 8,760 hours/year	193	0.028	\$45.00
LED Fixture	3' 1-Lamp T8 fixture, operates 8,760 hours/year	149	0.021	\$35.00
LED Fixture	2' 2-Lamp T12 fixture, operates 8,760 hours/year	228	0.033	\$54.00
LED Fixture	2' 2-Lamp T8 fixture, operates 8,760 hours/year	175	0.025	\$42.00
LED Fixture	2' 1-Lamp T12 fixture, operates 8,760 hours/year	114	0.016	\$26.00
LED Fixture	2' 1-Lamp T8 fixture, operates 8,760 hours/year	88	0.013	\$21.00
LED Sensor fixture	3' 2-Lamp T12 fixture, operates 8,760 hours/year	502	0.072	\$119.00
LED Sensor fixture	3' 2-Lamp T8 fixture, operates 8,760 hours/year	415	0.059	\$98.00
LED Sensor fixture	3' 1-Lamp T12 fixture, operates 8,760 hours/year	251	0.036	\$59.00
LED Sensor fixture	3' 1-Lamp T8 fixture, operates 8,760 hours/year	207	0.030	\$50.00
LED Sensor fixture	2' 2-Lamp T12 fixture, operates 8,760 hours/year	330	0.047	\$78.00
LED Sensor fixture	2' 2-Lamp T8 fixture, operates 8,760 hours/year	277	0.040	\$66.00
LED Sensor fixture	2' 1-Lamp T12 fixture, operates 8,760 hours/year	165	0.024	\$39.00
LED Sensor fixture	2' 1-Lamp T8 fixture, operates 8,760 hours/year	139	0.020	\$33.00
LED Fixture	4' 1-Lamp T5 fixture, operates 8,760 hours/year	175	0.025	\$42.00
LED Fixture	4' 1-Lamp T5 HO fixture, operates 8,760 hours/year	342	0.049	\$80.00
LED Sensor fixture	4' 1-Lamp T5 fixture, operates 8,760 hours/year	263	0.038	\$63.00
LED Sensor fixture	4' 1-Lamp T5 HO fixture, operates 8,760 hours/year	502	0.072	\$119.00
LED Sensor fixture	4' 4-Lamp T5 fixture, operates 8,760 hours/year	1,057	0.152	\$229.00
LED Sensor fixture	4' 4-Lamp T5 HO fixture, operates 8,760 hours/year	1,955	0.280	\$388.00
LED Sensor fixture	4' 3-Lamp T12 fixture, operates 8,760 hours/year	999	0.143	\$229.00
LED Sensor fixture	4' 3-Lamp T8 fixture, operates 8,760 hours/year	788	0.113	\$187.00
LED Sensor fixture	4' 3-Lamp T5 fixture, operates 8,760 hours/year	788	0.113	\$187.00
LED Sensor fixture	4' 3-Lamp T5 HO fixture, operates 8,760 hours/year	1,457	0.209	\$344.00
LED Sensor fixture	4' 2-Lamp T12 fixture, operates 8,760 hours/year	669	0.096	\$158.00
LED Sensor fixture	4' 2-Lamp T8 fixture, operates 8,760 hours/year	529	0.076	\$125.00
LED Sensor fixture	4' 2-Lamp T5 fixture, operates 8,760 hours/year	520	0.074	\$123.00
LED Sensor fixture	4' 2-Lamp T5 HO fixture, operates 8,760 hours/year	1,004	0.144	\$229.00
LED Sensor fixture	4' 1-Lamp T12 fixture, operates 8,760 hours/year	345	0.049	\$81.00
LED Sensor fixture	4' 1-Lamp T8 fixture, operates 8,760 hours/year	231	0.033	\$55.00
LED Sensor fixture	8' 2-Lamp T12 fixture, operates 8,760 hours/year	1,337	0.192	\$317.00
LED Sensor fixture	8' 2-Lamp T8 fixture, operates 8,760 hours/year	1,057	0.152	\$250.00

MEASURE DESCRIPTION	BASE MEASURE	ENERGY SAVINGS [kWh]	PEAK DEMAND SAVINGS [kW]	INSTANT DISCOUNT ⁽¹⁾ [\$]
LED Sensor fixture	8' 1-Lamp T12 fixture, operates 8,760 hours/year	669	0.096	\$158.00
LED Sensor fixture	8' 1-Lamp T8 fixture, operates 8,760 hours/year	529	0.076	\$125.00
LED Vapour tight fixture	4' 2-Lamp T12 fixture, operates 8,760 hours/year	482	0.069	\$114.00
LED Vapour tight fixture	4' 2-Lamp T8 fixture, operates 8,760 hours/year	342	0.049	\$80.00
LED Vapour tight sensor fixture	4' 2-Lamp T12 fixture, operates 8,760 hours/year	664	0.095	\$157.00
LED Vapour tight sensor fixture	4' 2-Lamp T8 fixture, operates 8,760 hours/year	524	0.075	\$124.00
LED Vapour tight fixture	4' 2-Lamp T12 HO fixture, operates 8,760 hours/year	447	0.064	\$106.00
LED Vapour tight sensor fixture	4' 2-Lamp T12 HO fixture, operates 8,760 hours/year	775	0.111	\$184.00
LED Smart tubes	4' 2-Lamp T12 fixture, operates 8,760 hours/year	670	0.096	\$158.00
LED Smart tubes	4' 2-Lamp T8 fixture, operates 8,760 hours/year	530	0.076	\$125.00
LED Smart tubes	4' 1-Lamp T12 fixture, operates 8,760 hours/year	335	0.048	\$79.00
LED Smart tubes	4' 1-Lamp T8 fixture, operates 8,760 hours/year	265	0.038	\$63.00
LED Smart tubes	3' 2-Lamp T12 fixture, operates 8,760 hours/year	508	0.073	\$120.00
LED Smart tubes	3' 2-Lamp T8 fixture, operates 8,760 hours/year	420	0.060	\$99.00
LED Smart tubes	3' 1-Lamp T12 fixture, operates 8,760 hours/year	254	0.036	\$61.00
LED Smart tubes	3' 1-Lamp T8 fixture, operates 8,760 hours/year	210	0.030	\$50.00
LED Smart tubes	2' 2-Lamp T12 fixture, operates 8,760 hours/year	335	0.048	\$79.00
LED Smart tubes	2' 2-Lamp T8 fixture, operates 8,760 hours/year	283	0.040	\$67.00
LED Smart tubes	2' 1-Lamp T12 fixture, operates 8,760 hours/year	168	0.024	\$40.00
LED Smart tubes	2' 1-Lamp T8 fixture, operates 8,760 hours/year	141	0.020	\$33.00
LED Smart tube sensor	No sensor	0	0.000	\$0.00
LED Fixture retrofit	4' 4-Lamp T12 fixture, operates 8,760 hours/year	981	0.141	\$162.00
LED Fixture retrofit	4' 4-Lamp T8 fixture, operates 8,760 hours/year	701	0.100	\$162.00
LED Fixture retrofit	4' 4-Lamp T5 fixture, operates 8,760 hours/year	666	0.095	\$157.00
LED Fixture retrofit	4' 4-Lamp T5 HO fixture, operates 8,760 hours/year	1,261	0.181	\$185.00
LED Fixture retrofit	4' 3-Lamp T12 fixture, operates 8,760 hours/year	736	0.105	\$131.00
LED Fixture retrofit	4' 3-Lamp T8 fixture, operates 8,760 hours/year	526	0.075	\$124.00
LED Fixture retrofit	4' 3-Lamp T5 fixture, operates 8,760 hours/year	499	0.072	\$118.00
LED Fixture retrofit	4' 3-Lamp T5 HO fixture, operates 8,760 hours/year	946	0.136	\$168.00
LED Fixture retrofit	4' 2-Lamp T12 fixture, operates 8,760 hours/year	491	0.070	\$107.00
LED Fixture retrofit	4' 2-Lamp T8 fixture, operates 8,760 hours/year	350	0.050	\$83.00
LED Fixture retrofit	4' 2-Lamp T5 fixture, operates 8,760 hours/year	333	0.048	\$79.00
LED Fixture retrofit	4' 2-Lamp T5 HO fixture, operates 8,760 hours/year	631	0.090	\$140.00

MEASURE DESCRIPTION	BASE MEASURE	ENERGY SAVINGS [kWh]	PEAK DEMAND SAVINGS [kW]	INSTANT DISCOUNT ⁽¹⁾ [\$]
LED Fixture retrofit	4' 1-Lamp T12 fixture, operates 8,760 hours/year	245	0.035	\$58.00
LED Fixture retrofit	4' 1-Lamp T8 fixture, operates 8,760 hours/year	175	0.025	\$42.00
LED Fixture retrofit	3' 2-Lamp T12 fixture, operates 8,760 hours/year	385	0.055	\$91.00
LED Fixture retrofit	3' 2-Lamp T8 fixture, operates 8,760 hours/year	298	0.043	\$70.00
LED Fixture retrofit	3' 1-Lamp T12 fixture, operates 8,760 hours/year	193	0.028	\$45.00
LED Fixture retrofit	3' 1-Lamp T8 fixture, operates 8,760 hours/year	149	0.021	\$35.00
LED Fixture retrofit	2' 2-Lamp T12 fixture, operates 8,760 hours/year	228	0.033	\$54.00
LED Fixture retrofit	2' 2-Lamp T8 fixture, operates 8,760 hours/year	175	0.025	\$42.00
LED Fixture retrofit	2' 1-Lamp T12 fixture, operates 8,760 hours/year	114	0.016	\$26.00
LED Fixture retrofit	2' 1-Lamp T8 fixture, operates 8,760 hours/year	88	0.013	\$21.00
LED Fixture retrofit + sensor	4' 4-Lamp T12 fixture, operates 8,760 hours/year	1,332	0.191	\$257.00
LED Fixture retrofit + sensor	4' 4-Lamp T8 fixture, operates 8,760 hours/year	1,051	0.151	\$249.00
LED Fixture retrofit + sensor	4' 4-Lamp T5 fixture, operates 8,760 hours/year	1,045	0.150	\$248.00
LED Fixture retrofit + sensor	4' 4-Lamp T5 HO fixture, operates 8,760 hours/year	1,991	0.285	\$471.00
LED Fixture retrofit + sensor	4' 3-Lamp T12 fixture, operates 8,760 hours/year	999	0.143	\$237.00
LED Fixture retrofit + sensor	4' 3-Lamp T8 fixture, operates 8,760 hours/year	788	0.113	\$187.00
LED Fixture retrofit + sensor	4' 3-Lamp T5 fixture, operates 8,760 hours/year	784	0.112	\$186.00
LED Fixture retrofit + sensor	4' 3-Lamp T5 HO fixture, operates 8,760 hours/year	1,494	0.214	\$353.00
LED Fixture retrofit + sensor	4' 2-Lamp T12 fixture, operates 8,760 hours/year	666	0.095	\$157.00
LED Fixture retrofit + sensor	4' 2-Lamp T8 fixture, operates 8,760 hours/year	526	0.075	\$124.00
LED Fixture retrofit + sensor	4' 2-Lamp T5 fixture, operates 8,760 hours/year	523	0.075	\$123.00
LED Fixture retrofit + sensor	4' 2-Lamp T5 HO fixture, operates 8,760 hours/year	996	0.143	\$235.00
LED Fixture retrofit + sensor	4' 1-Lamp T12 fixture, operates 8,760 hours/year	333	0.048	\$79.00
LED Fixture retrofit + sensor	4' 1-Lamp T8 fixture, operates 8,760 hours/year	263	0.038	\$63.00
LED Fixture retrofit + sensor	3' 2-Lamp T12 fixture, operates 8,760 hours/year	502	0.072	\$119.00
LED Fixture retrofit + sensor	3' 2-Lamp T8 fixture, operates 8,760 hours/year	415	0.059	\$98.00
LED Fixture retrofit + sensor	3' 1-Lamp T12 fixture, operates 8,760 hours/year	251	0.036	\$59.00
LED Fixture retrofit + sensor	3' 1-Lamp T8 fixture, operates 8,760 hours/year	207	0.030	\$50.00
LED Fixture retrofit + sensor	2' 2-Lamp T12 fixture, operates 8,760 hours/year	330	0.047	\$78.00
LED Fixture retrofit + sensor	2' 2-Lamp T8 fixture, operates 8,760 hours/year	277	0.040	\$66.00
LED Fixture retrofit + sensor	2' 1-Lamp T12 fixture, operates 8,760 hours/year	165	0.024	\$39.00
LED Fixture retrofit + sensor	2' 1-Lamp T8 fixture, operates 8,760 hours/year	139	0.020	\$33.00
LED Fixture retrofit	4' 1-Lamp T5 fixture, operates 8,760 hours/year	166	0.024	\$40.00

MEASURE DESCRIPTION	BASE MEASURE	ENERGY SAVINGS [kWh]	PEAK DEMAND SAVINGS [kW]	INSTANT DISCOUNT ⁽¹⁾ [\$]
LED Fixture retrofit	4' 1-Lamp T5 HO fixture, operates 8,760 hours/year	315	0.045	\$75.00
LED Fixture retrofit + sensor	4' 1-Lamp T5 fixture, operates 8,760 hours/year	261	0.037	\$62.00
LED Fixture retrofit + sensor	4' 1-Lamp T5 HO fixture, operates 8,760 hours/year	498	0.071	\$118.00
LED Canopy fixture	HID 250W fixture, operates 8,760 hours/year	1,875	0.269	\$443.00
LED Canopy fixture	HID 200W fixture, operates 8,760 hours/year	1,533	0.220	\$363.00
LED Canopy fixture	HID 175W fixture, operates 8,760 hours/year	1,358	0.195	\$321.00
LED Canopy fixture	HID 150W fixture, operates 8,760 hours/year	1,165	0.167	\$275.00
LED Canopy fixture	HID 100W fixture, operates 8,760 hours/year	832	0.119	\$197.00
LED Canopy fixture	HID 70W fixture, operates 8,760 hours/year	596	0.085	\$141.00
LED Canopy fixture + sensor	HID 250W fixture, operates 8,760 hours/year	2,422	0.347	\$573.00
LED Canopy fixture + sensor	HID 200W fixture, operates 8,760 hours/year	2,008	0.288	\$475.00
LED Canopy fixture + sensor	HID 175W fixture, operates 8,760 hours/year	1,759	0.252	\$416.00
LED Canopy fixture + sensor	HID 150W fixture, operates 8,760 hours/year	1,457	0.209	\$344.00
LED Canopy fixture + sensor	HID 100W fixture, operates 8,760 hours/year	1,051	0.151	\$249.00
LED Canopy fixture + sensor	HID 70W fixture, operates 8,760 hours/year	778	0.112	\$184.00
LED Canopy fixture + sensor	Induction 80W fixture, operates 8,760 hours/year	730	0.105	\$173.00
LED Canopy fixture	CFL 56W fixture, operates 8,760 hours/year	385	0.055	\$91.00
LED Canopy fixture	CFL 26W fixture, operates 8,760 hours/year	123	0.018	\$29.00
LED Canopy fixture + sensor	CFL 56W fixture, operates 8,760 hours/year	473	0.068	\$112.00
LED Canopy fixture + sensor	CFL 26W fixture, operates 8,760 hours/year	210	0.030	\$50.00
LED High/Low Bay fixture	HID 1000W fixture, operates 8,760 hours/year	7,271	1.078	\$496.00
LED High/Low Bay fixture	HID 400W fixture, operates 8,760 hours/year	2,584	0.383	\$398.00
LED High/Low Bay fixture	HID 250W fixture, operates 8,760 hours/year	1,656	0.246	\$342.00
LED High/Low Bay fixture	HID 200W fixture, operates 8,760 hours/year	1,533	0.227	\$375.00
LED High/Low Bay fixture	HID 175W fixture, operates 8,760 hours/year	1,358	0.201	\$332.00
LED High/Low Bay fixture	HID 150W fixture, operates 8,760 hours/year	1,165	0.173	\$285.00
LED High/Low Bay fixture	HID 100W fixture, operates 8,760 hours/year	832	0.123	\$204.00
LED High/Low Bay fixture	HID 70W fixture, operates 8,760 hours/year	596	0.088	\$146.00
LED High/Low Bay fixture	4' 8-Lamp T5 HO fixture, operates 8,760 hours/year	3,048	0.452	\$535.00
LED High/Low Bay fixture	4' 6-Lamp T5 HO fixture, operates 8,760 hours/year	2,111	0.313	\$404.00
LED High/Low Bay fixture	4' 4-Lamp T12 fixture, operates 8,760 hours/year	1,016	0.151	\$249.00
LED High/Low Bay fixture	4' 4-Lamp T8 fixture, operates 8,760 hours/year	736	0.109	\$180.00
LED High/Low Bay fixture	4' 4-Lamp T5 HO fixture, operates 8,760 hours/year	1,261	0.187	\$309.00

MEASURE DESCRIPTION	BASE MEASURE	ENERGY SAVINGS [kWh]	PEAK DEMAND SAVINGS [kW]	INSTANT DISCOUNT ⁽¹⁾ [\$]
LED High/Low Bay fixture	4' 3-Lamp T12 fixture, operates 8,760 hours/year	736	0.109	\$180.00
LED High/Low Bay fixture	4' 3-Lamp T8 fixture, operates 8,760 hours/year	526	0.078	\$129.00
LED High/Low Bay fixture	4' 3-Lamp T5 HO fixture, operates 8,760 hours/year	946	0.140	\$231.00
LED High/Low Bay fixture	4' 2-Lamp T12 fixture, operates 8,760 hours/year	508	0.075	\$124.00
LED High/Low Bay fixture	4' 2-Lamp T8 fixture, operates 8,760 hours/year	368	0.055	\$90.00
LED High/Low Bay fixture	4' 2-Lamp T5 HO fixture, operates 8,760 hours/year	631	0.094	\$154.00
LED High/Low Bay fixture + sensor	HID 1000W fixture, operates 8,760 hours/year	8,648	1.283	\$552.00
LED High/Low Bay fixture + sensor	HID 400W fixture, operates 8,760 hours/year	3,466	0.514	\$454.00
LED High/Low Bay fixture + sensor	HID 250W fixture, operates 8,760 hours/year	2,207	0.327	\$398.00
LED High/Low Bay fixture + sensor	HID 200W fixture, operates 8,760 hours/year	1,891	0.280	\$463.00
LED High/Low Bay fixture + sensor	HID 175W fixture, operates 8,760 hours/year	1,661	0.246	\$406.00
LED High/Low Bay fixture + sensor	HID 150W fixture, operates 8,760 hours/year	1,385	0.205	\$339.00
LED High/Low Bay fixture + sensor	HID 100W fixture, operates 8,760 hours/year	998	0.148	\$244.00
LED High/Low Bay fixture + sensor	HID 70W fixture, operates 8,760 hours/year	733	0.109	\$179.00
LED High/Low Bay fixture + sensor	4' 8-Lamp T5 HO fixture, operates 8,760 hours/year	3,820	0.566	\$642.00
LED High/Low Bay fixture + sensor	4' 6-Lamp T5 HO fixture, operates 8,760 hours/year	2,800	0.415	\$488.00
LED High/Low Bay fixture + sensor	4' 4-Lamp T12 fixture, operates 8,760 hours/year	1,259	0.187	\$308.00
LED High/Low Bay fixture + sensor	4' 4-Lamp T8 fixture, operates 8,760 hours/year	978	0.145	\$240.00
LED High/Low Bay fixture + sensor	4' 4-Lamp T5 HO fixture, operates 8,760 hours/year	1,812	0.269	\$443.00
LED High/Low Bay fixture + sensor	4' 3-Lamp T12 fixture, operates 8,760 hours/year	934	0.139	\$229.00
LED High/Low Bay fixture + sensor	4' 3-Lamp T8 fixture, operates 8,760 hours/year	724	0.107	\$177.00
LED High/Low Bay fixture + sensor	4' 3-Lamp T5 HO fixture, operates 8,760 hours/year	1,359	0.202	\$332.00
LED High/Low Bay fixture + sensor	4' 2-Lamp T12 fixture, operates 8,760 hours/year	629	0.093	\$154.00
LED High/Low Bay fixture + sensor	4' 2-Lamp T8 fixture, operates 8,760 hours/year	489	0.073	\$120.00
LED High/Low Bay fixture + sensor	4' 2-Lamp T5 HO fixture, operates 8,760 hours/year	906	0.134	\$222.00
LED High/Low Bay fixture	8' 4-lamp T12 fixture, operates 8,760 hours/year	2,032	0.301	\$496.00
LED High/Low Bay fixture	8' 4-lamp T8 fixture, operates 8,760 hours/year	1,472	0.218	\$360.00
LED High/Low Bay fixture	8' 2-lamp T12 fixture, operates 8,760 hours/year	1,016	0.151	\$249.00
LED High/Low Bay fixture	8' 2-lamp T8 fixture, operates 8,760 hours/year	736	0.109	\$180.00
LED High/Low Bay fixture	8' 1-lamp T12 fixture, operates 8,760 hours/year	508	0.075	\$124.00
LED High/Low Bay fixture	8' 1-lamp T8 fixture, operates 8,760 hours/year	368	0.055	\$90.00
LED High/Low Bay fixture + sensor	8' 4-lamp T12 fixture, operates 8,760 hours/year	2,517	0.373	\$551.00
LED High/Low Bay fixture + sensor	8' 4-lamp T8 fixture, operates 8,760 hours/year	1,957	0.290	\$479.00

MEASURE DESCRIPTION	BASE MEASURE	ENERGY SAVINGS [kWh]	PEAK DEMAND SAVINGS [kW]	INSTANT DISCOUNT ⁽¹⁾ [\$]
LED High/Low Bay fixture + sensor	8' 2-lamp T12 fixture, operates 8,760 hours/year	1,259	0.187	\$308.00
LED High/Low Bay fixture + sensor	8' 2-lamp T8 fixture, operates 8,760 hours/year	978	0.145	\$240.00
LED High/Low Bay fixture + sensor	8' 1-lamp T12 fixture, operates 8,760 hours/year	629	0.093	\$154.00
LED High/Low Bay fixture + sensor	8' 1-lamp T8 fixture, operates 8,760 hours/year	489	0.073	\$120.00
LED High/Low Bay fixture	4' 8-Lamp T12 fixture, operates 8,760 hours/year	2,032	0.301	\$496.00
LED High/Low Bay fixture	4' 8-Lamp T8 fixture, operates 8,760 hours/year	1,472	0.218	\$360.00
LED High/Low Bay fixture	4' 6-Lamp T12 fixture, operates 8,760 hours/year	1,472	0.218	\$360.00
LED High/Low Bay fixture	4' 6-Lamp T8 fixture, operates 8,760 hours/year	1,051	0.156	\$257.00
LED High/Low Bay fixture + sensor	4' 8-Lamp T12 fixture, operates 8,760 hours/year	2,517	0.373	\$551.00
LED High/Low Bay fixture + sensor	4' 8-Lamp T8 fixture, operates 8,760 hours/year	1,957	0.290	\$479.00
LED High/Low Bay fixture + sensor	4' 6-Lamp T12 fixture, operates 8,760 hours/year	1,868	0.277	\$458.00
LED High/Low Bay fixture + sensor	4' 6-Lamp T8 fixture, operates 8,760 hours/year	1,448	0.215	\$354.00
Non-Continuous LED Canopy fixture	HID 250W fixture	1,094	0.139	\$297.00
Non-Continuous LED Canopy fixture	HID 200W fixture	894	0.113	\$243.00
Non-Continuous LED Canopy fixture	HID 175W fixture	792	0.100	\$216.00
Non-Continuous LED Canopy fixture	HID 150W fixture	680	0.086	\$185.00
Non-Continuous LED Canopy fixture	HID 100W fixture	485	0.062	\$132.00
Non-Continuous LED Canopy fixture	HID 70W fixture	347	0.044	\$95.00
Non-Continuous LED Canopy fixture + sensor	HID 250W fixture	1,367	0.173	\$372.00
Non-Continuous LED Canopy fixture + sensor	HID 200W fixture	1,131	0.143	\$308.00
Non-Continuous LED Canopy fixture + sensor	HID 175W fixture	993	0.126	\$271.00
Non-Continuous LED Canopy fixture + sensor	HID 150W fixture	826	0.105	\$224.00
Non-Continuous LED Canopy fixture + sensor	HID 100W fixture	595	0.075	\$162.00
Non-Continuous LED Canopy fixture + sensor	HID 70W fixture	439	0.056	\$119.00
Non-Continuous LED Canopy fixture + sensor	Induction 80W fixture	402	0.051	\$109.00
Non-Continuous LED Canopy fixture	CFL 56W fixture	225	0.029	\$62.00
Non-Continuous LED Canopy fixture	CFL 26W fixture	72	0.009	\$20.00
Non-Continuous LED Canopy fixture + sensor	CFL 56W fixture	269	0.034	\$73.00
Non-Continuous LED Canopy fixture + sensor	CFL 26W fixture	115	0.015	\$32.00
Non-Continuous LED High/Low Bay fixture	HID 1000W fixture	5,395	0.800	\$496.00
Non-Continuous LED High/Low Bay fixture	HID 400W fixture	1,918	0.284	\$398.00
Non-Continuous LED High/Low Bay fixture	HID 250W fixture	1,228	0.182	\$342.00
Non-Continuous LED High/Low Bay fixture	HID 200W fixture	1,138	0.169	\$335.00

MEASURE DESCRIPTION	BASE MEASURE	ENERGY SAVINGS [kWh]	PEAK DEMAND SAVINGS [kW]	INSTANT DISCOUNT ⁽¹⁾ [\$]
Non-Continuous LED High/Low Bay fixture	HID 175W fixture	1,008	0.149	\$297.00
Non-Continuous LED High/Low Bay fixture	HID 150W fixture	865	0.128	\$255.00
Non-Continuous LED High/Low Bay fixture	HID 100W fixture	618	0.092	\$182.00
Non-Continuous LED High/Low Bay fixture	HID 70W fixture	442	0.066	\$130.00
Non-Continuous LED High/Low Bay fixture	4' 8-Lamp T5 HO fixture	2,262	0.335	\$512.00
Non-Continuous LED High/Low Bay fixture	4' 6-Lamp T5 HO fixture	1,567	0.232	\$386.00
Non-Continuous LED High/Low Bay fixture	4' 4-Lamp T12 fixture	754	0.112	\$222.00
Non-Continuous LED High/Low Bay fixture	4' 4-Lamp T8 fixture	546	0.081	\$161.00
Non-Continuous LED High/Low Bay fixture	4' 4-Lamp T5 HO fixture	936	0.139	\$276.00
Non-Continuous LED High/Low Bay fixture	4' 3-Lamp T12 fixture	546	0.081	\$161.00
Non-Continuous LED High/Low Bay fixture	4' 3-Lamp T8 fixture	390	0.058	\$115.00
Non-Continuous LED High/Low Bay fixture	4' 3-Lamp T5 HO fixture	702	0.104	\$207.00
Non-Continuous LED High/Low Bay fixture	4' 2-Lamp T12 fixture	377	0.056	\$111.00
Non-Continuous LED High/Low Bay fixture	4' 2-Lamp T8 fixture	273	0.040	\$80.00
Non-Continuous LED High/Low Bay fixture	4' 2-Lamp T5 HO fixture	468	0.069	\$138.00
Non-Continuous LED High/Low Bay fixture + sensor	HID 1000W fixture	6,208	0.921	\$552.00
Non-Continuous LED High/Low Bay fixture + sensor	HID 400W fixture	2,438	0.361	\$454.00
Non-Continuous LED High/Low Bay fixture + sensor	HID 250W fixture	1,553	0.230	\$398.00
Non-Continuous LED High/Low Bay fixture + sensor	HID 200W fixture	1,349	0.200	\$398.00
Non-Continuous LED High/Low Bay fixture + sensor	HID 175W fixture	1,186	0.176	\$350.00
Non-Continuous LED High/Low Bay fixture + sensor	HID 150W fixture	995	0.147	\$293.00
Non-Continuous LED High/Low Bay fixture + sensor	HID 100W fixture	715	0.106	\$211.00
Non-Continuous LED High/Low Bay fixture + sensor	HID 70W fixture	523	0.078	\$154.00
Non-Continuous LED High/Low Bay fixture + sensor	4' 8-Lamp T5 HO fixture	2,717	0.403	\$615.00
Non-Continuous LED High/Low Bay fixture + sensor	4' 6-Lamp T5 HO fixture	1,973	0.293	\$468.00
Non-Continuous LED High/Low Bay fixture + sensor	4' 4-Lamp T12 fixture	897	0.133	\$264.00
Non-Continuous LED High/Low Bay fixture + sensor	4' 4-Lamp T8 fixture	689	0.102	\$203.00
Non-Continuous LED High/Low Bay fixture + sensor	4' 4-Lamp T5 HO fixture	1,261	0.187	\$372.00
Non-Continuous LED High/Low Bay fixture + sensor	4' 3-Lamp T12 fixture	663	0.098	\$195.00
Non-Continuous LED High/Low Bay fixture + sensor	4' 3-Lamp T8 fixture	507	0.075	\$149.00
Non-Continuous LED High/Low Bay fixture + sensor	4' 3-Lamp T5 HO fixture	946	0.140	\$279.00
Non-Continuous LED High/Low Bay fixture + sensor	4' 2-Lamp T12 fixture	449	0.067	\$132.00
Non-Continuous LED High/Low Bay fixture + sensor	4' 2-Lamp T8 fixture	345	0.051	\$102.00

MEASURE DESCRIPTION	BASE MEASURE	ENERGY SAVINGS [kWh]	PEAK DEMAND SAVINGS [kW]	INSTANT DISCOUNT ⁽¹⁾ [\$]
Non-Continuous LED High/Low Bay fixture + sensor	4' 2-Lamp T5 HO fixture	631	0.094	\$186.00
Non-Continuous LED High/Low Bay fixture	8' 4-lamp T12 fixture	1,508	0.224	\$436.00
Non-Continuous LED High/Low Bay fixture	8' 4-lamp T8 fixture	1,092	0.162	\$316.00
Non-Continuous LED High/Low Bay fixture	8' 2-lamp T12 fixture	754	0.112	\$218.00
Non-Continuous LED High/Low Bay fixture	8' 2-lamp T8 fixture	546	0.081	\$158.00
Non-Continuous LED High/Low Bay fixture	8' 1-lamp T12 fixture	377	0.056	\$109.00
Non-Continuous LED High/Low Bay fixture	8' 1-lamp T8 fixture	273	0.040	\$79.00
Non-Continuous LED High/Low Bay fixture + sensor	8' 4-lamp T12 fixture	1,794	0.266	\$519.00
Non-Continuous LED High/Low Bay fixture + sensor	8' 4-lamp T8 fixture	1,378	0.204	\$399.00
Non-Continuous LED High/Low Bay fixture + sensor	8' 2-lamp T12 fixture	897	0.133	\$259.00
Non-Continuous LED High/Low Bay fixture + sensor	8' 2-lamp T8 fixture	689	0.102	\$199.00
Non-Continuous LED High/Low Bay fixture + sensor	8' 1-lamp T12 fixture	449	0.067	\$130.00
Non-Continuous LED High/Low Bay fixture + sensor	8' 1-lamp T8 fixture	345	0.051	\$100.00
Non-Continuous LED High/Low Bay fixture	4' 8-Lamp T12 fixture	1,508	0.224	\$436.00
Non-Continuous LED High/Low Bay fixture	4' 8-Lamp T8 fixture	1,092	0.162	\$316.00
Non-Continuous LED High/Low Bay fixture	4' 6-Lamp T12 fixture	1,092	0.162	\$316.00
Non-Continuous LED High/Low Bay fixture	4' 6-Lamp T8 fixture	780	0.116	\$226.00
Non-Continuous LED High/Low Bay fixture + sensor	4' 8-Lamp T12 fixture	1,794	0.266	\$519.00
Non-Continuous LED High/Low Bay fixture + sensor	4' 8-Lamp T8 fixture	1,378	0.204	\$399.00
Non-Continuous LED High/Low Bay fixture + sensor	4' 6-Lamp T12 fixture	1,326	0.197	\$383.00
Non-Continuous LED High/Low Bay fixture + sensor	4' 6-Lamp T8 fixture	1,014	0.150	\$293.00
Non-Continuous LED Round surface mount fixture	2-Lamp CFL	61	0.008	\$16.00
Non-Continuous LED Round surface mount fixture	3-Lamp CFL	128	0.016	\$34.00
Non-Continuous LED Round surface mount sensor fixture	2-Lamp CFL	109	0.014	\$29.00
Non-Continuous LED Round surface mount sensor fixture	3-Lamp CFL	176	0.022	\$47.00
Non-Continuous LED Potlight fixture	1-Lamp 13W-18W CFL	36	0.005	\$10.00
Non-Continuous LED Potlight fixture	1-Lamp 26W CFL	87	0.011	\$23.00
Non-Continuous LED Potlight fixture	1-Lamp 32W CFL	97	0.012	\$26.00
Non-Continuous LED Potlight fixture	1-Lamp 42W CFL	123	0.016	\$33.00
Non-Continuous LED Potlight fixture + sensor	1-Lamp 13W-18W CFL	70	0.009	\$19.00
Non-Continuous LED Potlight fixture + sensor	1-Lamp 26W CFL	121	0.015	\$32.00
Non-Continuous LED Potlight fixture + sensor	1-Lamp 32W CFL	146	0.019	\$39.00
Non-Continuous LED Potlight fixture + sensor	1-Lamp 42W CFL	197	0.025	\$53.00

MEASURE DESCRIPTION	BASE MEASURE	ENERGY SAVINGS [kWh]	PEAK DEMAND SAVINGS [kW]	INSTANT DISCOUNT ⁽¹⁾ [\$]
Non-Continuous LED Potlight fixture	2-Lamp 13W-18W CFL	97	0.012	\$26.00
Non-Continuous LED Potlight fixture	2-Lamp 26W CFL	128	0.016	\$34.00
Non-Continuous LED Potlight fixture	2-Lamp 32W CFL	189	0.024	\$51.00
Non-Continuous LED Potlight fixture	2-Lamp 42W CFL	245	0.031	\$66.00
Non-Continuous LED Potlight fixture + sensor	2-Lamp 13W-18W CFL	146	0.019	\$39.00
Non-Continuous LED Potlight fixture + sensor	2-Lamp 26W CFL	248	0.031	\$66.00
Non-Continuous LED Potlight fixture + sensor	2-Lamp 32W CFL	301	0.038	\$81.00
Non-Continuous LED Potlight fixture + sensor	2-Lamp 42W CFL	403	0.051	\$108.00
Non-Continuous LED Potlight fixture	MR16 50W Halogen or Inc	204	0.026	\$51.00
Non-Continuous LED Potlight fixture + sensor	MR16 50W Halogen or Inc	241	0.031	\$60.00
Non-Continuous LED Wall sconce	1-Lamp 13-18W CFL	36	0.005	\$10.00
Non-Continuous LED Wall sconce	2-Lamp 13-18W CFL	82	0.010	\$22.00
Non-Continuous LED Wall sconce + sensor	1-Lamp 13-18W CFL	69	0.009	\$18.00
Non-Continuous LED Wall sconce + sensor	2-Lamp 13-18W CFL	134	0.017	\$36.00
Non-Continuous LED Garbage chute sensor fixture	1-Lamp CFL	63	0.008	\$17.00
Non-Continuous LED Fixture	4' 4-Lamp T12 fixture	593	0.075	\$159.00
Non-Continuous LED Fixture	4' 4-Lamp T8 fixture	429	0.054	\$115.00
Non-Continuous LED Fixture	4' 4-Lamp T5 fixture	429	0.054	\$115.00
Non-Continuous LED Fixture	4' 4-Lamp T5 HO fixture	608	0.077	\$163.00
Non-Continuous LED Fixture	4' 3-Lamp T12 fixture	429	0.054	\$115.00
Non-Continuous LED Fixture	4' 3-Lamp T8 fixture	307	0.039	\$82.00
Non-Continuous LED Fixture	4' 3-Lamp T5 fixture	307	0.039	\$82.00
Non-Continuous LED Fixture	4' 3-Lamp T5 HO fixture	424	0.054	\$114.00
Non-Continuous LED Fixture	4' 2-Lamp T12 fixture	296	0.038	\$79.00
Non-Continuous LED Fixture	4' 2-Lamp T8 fixture	215	0.027	\$57.00
Non-Continuous LED Fixture	4' 2-Lamp T5 fixture	184	0.023	\$49.00
Non-Continuous LED Fixture	4' 2-Lamp T5 HO fixture	399	0.051	\$107.00
Non-Continuous LED Fixture	4' 1-Lamp T12 fixture	107	0.014	\$29.00
Non-Continuous LED Fixture	4' 1-Lamp T8 fixture	41	0.005	\$11.00
Non-Continuous LED Fixture	8' 2-Lamp T12 fixture	593	0.075	\$159.00
Non-Continuous LED Fixture	8' 2-Lamp T18 fixture	429	0.054	\$115.00
Non-Continuous LED Fixture	8' 1-Lamp T12 fixture	296	0.038	\$79.00
Non-Continuous LED Fixture	8' 1-Lamp T8 fixture	215	0.027	\$57.00

MEASURE DESCRIPTION	BASE MEASURE	ENERGY SAVINGS [kWh]	PEAK DEMAND SAVINGS [kW]	INSTANT DISCOUNT ⁽¹⁾ [\$]
Non-Continuous LED Sensor fixture	4' 4-Lamp T12 fixture	753	0.096	\$202.00
Non-Continuous LED Sensor fixture	4' 4-Lamp T8 fixture	590	0.075	\$158.00
Non-Continuous LED Sensor fixture	4' 4-Lamp T5 fixture	590	0.075	\$158.00
Non-Continuous LED Sensor fixture	4' 4-Lamp T5 HO fixture	1,064	0.135	\$285.00
Non-Continuous LED Sensor fixture	4' 3-Lamp T12 fixture	561	0.071	\$150.00
Non-Continuous LED Sensor fixture	4' 3-Lamp T8 fixture	438	0.056	\$117.00
Non-Continuous LED Sensor fixture	4' 3-Lamp T5 fixture	438	0.056	\$117.00
Non-Continuous LED Sensor fixture	4' 3-Lamp T5 HO fixture	789	0.100	\$211.00
Non-Continuous LED Sensor fixture	4' 2-Lamp T12 fixture	377	0.048	\$101.00
Non-Continuous LED Sensor fixture	4' 2-Lamp T8 fixture	295	0.037	\$79.00
Non-Continuous LED Sensor fixture	4' 2-Lamp T5 fixture	286	0.036	\$77.00
Non-Continuous LED Sensor fixture	4' 2-Lamp T5 HO fixture	559	0.071	\$150.00
Non-Continuous LED Sensor fixture	4' 1-Lamp T12 fixture	188	0.024	\$50.00
Non-Continuous LED Sensor fixture	4' 1-Lamp T8 fixture	121	0.015	\$32.00
Non-Continuous LED Sensor fixture	8' 2-Lamp T12 fixture	753	0.096	\$202.00
Non-Continuous LED Sensor fixture	8' 2-Lamp T18 fixture	590	0.075	\$158.00
Non-Continuous LED Sensor fixture	8' 1-Lamp T12 fixture	377	0.048	\$101.00
Non-Continuous LED Sensor fixture	8' 1-Lamp T8 fixture	295	0.037	\$79.00
Non-Continuous LED Fixture	3' 2-Lamp T12 fixture	225	0.029	\$56.00
Non-Continuous LED Fixture	3' 2-Lamp T8 fixture	174	0.022	\$43.00
Non-Continuous LED Fixture	3' 1-Lamp T12 fixture	112	0.014	\$28.00
Non-Continuous LED Fixture	3' 1-Lamp T8 fixture	87	0.011	\$21.00
Non-Continuous LED Fixture	2' 2-Lamp T12 fixture	133	0.017	\$33.00
Non-Continuous LED Fixture	2' 2-Lamp T8 fixture	102	0.013	\$25.00
Non-Continuous LED Fixture	2' 1-Lamp T12 fixture	66	0.008	\$16.00
Non-Continuous LED Fixture	2' 1-Lamp T8 fixture	51	0.006	\$13.00
Non-Continuous LED Sensor fixture	3' 2-Lamp T12 fixture	283	0.036	\$70.00
Non-Continuous LED Sensor fixture	3' 2-Lamp T8 fixture	232	0.029	\$57.00
Non-Continuous LED Sensor fixture	3' 1-Lamp T12 fixture	142	0.018	\$35.00
Non-Continuous LED Sensor fixture	3' 1-Lamp T8 fixture	116	0.015	\$29.00
Non-Continuous LED Sensor fixture	2' 2-Lamp T12 fixture	184	0.023	\$45.00
Non-Continuous LED Sensor fixture	2' 2-Lamp T8 fixture	153	0.019	\$38.00
Non-Continuous LED Sensor fixture	2' 1-Lamp T12 fixture	92	0.012	\$23.00

MEASURE DESCRIPTION	BASE MEASURE	ENERGY SAVINGS [kWh]	PEAK DEMAND SAVINGS [kW]	INSTANT DISCOUNT ⁽¹⁾ [\$]
Non-Continuous LED Sensor fixture	2' 1-Lamp T8 fixture	77	0.010	\$19.00
Non-Continuous LED Fixture	4' 1-Lamp T5 fixture	102	0.013	\$25.00
Non-Continuous LED Fixture	4' 1-Lamp T5 HO fixture	199	0.025	\$49.00
Non-Continuous LED Sensor fixture	4' 1-Lamp T5 fixture	146	0.019	\$36.00
Non-Continuous LED Sensor fixture	4' 1-Lamp T5 HO fixture	280	0.035	\$69.00
Non-Continuous LED Vapour tight fixture	4' 2-Lamp T12 fixture	281	0.036	\$75.00
Non-Continuous LED Vapour tight fixture	4' 2-Lamp T8 fixture	199	0.025	\$53.00
Non-Continuous LED Vapour tight sensor fixture	4' 2-Lamp T12 fixture	372	0.047	\$100.00
Non-Continuous LED Vapour tight sensor fixture	4' 2-Lamp T8 fixture	291	0.037	\$78.00
Non-Continuous LED Vapour tight fixture	4' 2-Lamp T12 HO fixture	261	0.033	\$70.00
Non-Continuous LED Vapour tight sensor fixture	4' 2-Lamp T12 HO fixture	425	0.054	\$114.00
Non-Continuous LED Smart tubes	4' 2-Lamp T12 fixture	378	0.048	\$101.00
Non-Continuous LED Smart tubes	4' 2-Lamp T8 fixture	296	0.038	\$79.00
Non-Continuous LED Smart tubes	4' 1-Lamp T12 fixture	189	0.024	\$51.00
Non-Continuous LED Smart tubes	4' 1-Lamp T8 fixture	148	0.019	\$40.00
Non-Continuous LED Smart tubes	3' 2-Lamp T12 fixture	289	0.037	\$77.00
Non-Continuous LED Smart tubes	3' 2-Lamp T8 fixture	238	0.030	\$64.00
Non-Continuous LED Smart tubes	3' 1-Lamp T12 fixture	145	0.018	\$39.00
Non-Continuous LED Smart tubes	3' 1-Lamp T8 fixture	119	0.015	\$32.00
Non-Continuous LED Smart tubes	2' 2-Lamp T12 fixture	189	0.024	\$51.00
Non-Continuous LED Smart tubes	2' 2-Lamp T8 fixture	158	0.020	\$42.00
Non-Continuous LED Smart tubes	2' 1-Lamp T12 fixture	95	0.012	\$25.00
Non-Continuous LED Smart tubes	2' 1-Lamp T8 fixture	79	0.010	\$21.00
Non-Continuous LED Smart tube sensor	No sensor	0	0.000	\$0.00
Non-Continuous LED Fixture retrofit	4' 4-Lamp T12 fixture	572	0.073	\$147.00
Non-Continuous LED Fixture retrofit	4' 4-Lamp T8 fixture	409	0.052	\$110.00
Non-Continuous LED Fixture retrofit	4' 4-Lamp T5 fixture	388	0.049	\$104.00
Non-Continuous LED Fixture retrofit	4' 4-Lamp T5 HO fixture	736	0.093	\$168.00
Non-Continuous LED Fixture retrofit	4' 3-Lamp T12 fixture	429	0.054	\$115.00
Non-Continuous LED Fixture retrofit	4' 3-Lamp T8 fixture	307	0.039	\$82.00
Non-Continuous LED Fixture retrofit	4' 3-Lamp T5 fixture	291	0.037	\$78.00
Non-Continuous LED Fixture retrofit	4' 3-Lamp T5 HO fixture	552	0.070	\$148.00
Non-Continuous LED Fixture retrofit	4' 2-Lamp T12 fixture	286	0.036	\$77.00

MEASURE DESCRIPTION	BASE MEASURE	ENERGY SAVINGS [kWh]	PEAK DEMAND SAVINGS [kW]	INSTANT DISCOUNT ⁽¹⁾ [\$]
Non-Continuous LED Fixture retrofit	4' 2-Lamp T8 fixture	204	0.026	\$55.00
Non-Continuous LED Fixture retrofit	4' 2-Lamp T5 fixture	194	0.025	\$52.00
Non-Continuous LED Fixture retrofit	4' 2-Lamp T5 HO fixture	368	0.047	\$99.00
Non-Continuous LED Fixture retrofit	4' 1-Lamp T12 fixture	143	0.018	\$38.00
Non-Continuous LED Fixture retrofit	4' 1-Lamp T8 fixture	102	0.013	\$27.00
Non-Continuous LED Fixture retrofit	3' 2-Lamp T12 fixture	225	0.029	\$60.00
Non-Continuous LED Fixture retrofit	3' 2-Lamp T8 fixture	174	0.022	\$47.00
Non-Continuous LED Fixture retrofit	3' 1-Lamp T12 fixture	112	0.014	\$30.00
Non-Continuous LED Fixture retrofit	3' 1-Lamp T8 fixture	87	0.011	\$23.00
Non-Continuous LED Fixture retrofit	2' 2-Lamp T12 fixture	133	0.017	\$36.00
Non-Continuous LED Fixture retrofit	2' 2-Lamp T8 fixture	102	0.013	\$27.00
Non-Continuous LED Fixture retrofit	2' 1-Lamp T12 fixture	66	0.008	\$18.00
Non-Continuous LED Fixture retrofit	2' 1-Lamp T8 fixture	51	0.006	\$14.00
Non-Continuous LED Fixture retrofit + sensor	4' 4-Lamp T12 fixture	748	0.095	\$200.00
Non-Continuous LED Fixture retrofit + sensor	4' 4-Lamp T8 fixture	584	0.074	\$156.00
Non-Continuous LED Fixture retrofit + sensor	4' 4-Lamp T5 fixture	578	0.073	\$155.00
Non-Continuous LED Fixture retrofit + sensor	4' 4-Lamp T5 HO fixture	1,101	0.140	\$295.00
Non-Continuous LED Fixture retrofit + sensor	4' 3-Lamp T12 fixture	561	0.071	\$150.00
Non-Continuous LED Fixture retrofit + sensor	4' 3-Lamp T8 fixture	438	0.056	\$117.00
Non-Continuous LED Fixture retrofit + sensor	4' 3-Lamp T5 fixture	434	0.055	\$116.00
Non-Continuous LED Fixture retrofit + sensor	4' 3-Lamp T5 HO fixture	826	0.105	\$221.00
Non-Continuous LED Fixture retrofit + sensor	4' 2-Lamp T12 fixture	374	0.047	\$100.00
Non-Continuous LED Fixture retrofit + sensor	4' 2-Lamp T8 fixture	292	0.037	\$78.00
Non-Continuous LED Fixture retrofit + sensor	4' 2-Lamp T5 fixture	289	0.037	\$77.00
Non-Continuous LED Fixture retrofit + sensor	4' 2-Lamp T5 HO fixture	550	0.070	\$147.00
Non-Continuous LED Fixture retrofit + sensor	4' 1-Lamp T12 fixture	187	0.024	\$50.00
Non-Continuous LED Fixture retrofit + sensor	4' 1-Lamp T8 fixture	146	0.019	\$39.00
Non-Continuous LED Fixture retrofit + sensor	3' 2-Lamp T12 fixture	283	0.036	\$76.00
Non-Continuous LED Fixture retrofit + sensor	3' 2-Lamp T8 fixture	232	0.029	\$62.00
Non-Continuous LED Fixture retrofit + sensor	3' 1-Lamp T12 fixture	142	0.018	\$38.00
Non-Continuous LED Fixture retrofit + sensor	3' 1-Lamp T8 fixture	116	0.015	\$31.00
Non-Continuous LED Fixture retrofit + sensor	2' 2-Lamp T12 fixture	184	0.023	\$49.00
Non-Continuous LED Fixture retrofit + sensor	2' 2-Lamp T8 fixture	153	0.019	\$41.00

MEASURE DESCRIPTION	BASE MEASURE	ENERGY SAVINGS [kWh]	PEAK DEMAND SAVINGS [kW]	INSTANT DISCOUNT ⁽¹⁾ [\$]
Non-Continuous LED Fixture retrofit + sensor	2' 1-Lamp T12 fixture	92	0.012	\$25.00
Non-Continuous LED Fixture retrofit + sensor	2' 1-Lamp T8 fixture	77	0.010	\$21.00
Non-Continuous LED Fixture retrofit	4' 1-Lamp T5 fixture	97	0.012	\$24.00
Non-Continuous LED Fixture retrofit	4' 1-Lamp T5 HO fixture	184	0.023	\$45.00
Non-Continuous LED Fixture retrofit + sensor	4' 1-Lamp T5 fixture	145	0.018	\$36.00
Non-Continuous LED Fixture retrofit + sensor	4' 1-Lamp T5 HO fixture	275	0.035	\$68.00

(1) All costs exclude HST

Part 2. Mechanical Measures

MEASURE DESCRIPTION	BASE MEASURE	ENERGY SAVINGS [kWh]	PEAK DEMAND SAVINGS [kW]	INSTANT DISCOUNT ⁽¹⁾ [\$]
VFD on 5HP single pump motor	Single Pump 5HP motor; no VFD installed, operates 8,760 hours/year	10,686	1.186	\$3,000.00
VFD on 7.5HP single pump motor	Single Pump 7.5HP motor; no VFD installed, operates 8,760 hours/year	15,868	1.762	\$4,000.00
VFD on 10HP single pump motor	Single Pump 10HP motor; no VFD installed, operates 8,760 hours/year	21,008	2.332	\$4,500.00
VFD on 15HP single pump motor	Single Pump 15HP motor; no VFD installed, operates 8,760 hours/year	31,202	3.464	\$5,170.00
VFD on 20HP single pump motor	Single Pump 20HP motor; no VFD installed, operates 8,760 hours/year	41,313	4.587	\$5,720.00
VFD on 25HP single pump motor	Single Pump 25HP motor; no VFD installed, operates 8,760 hours/year	51,365	5.703	\$6,350.00
VFD on 30HP single pump motor	Single Pump 30HP motor; no VFD installed, operates 8,760 hours/year	61,369	6.813	\$7,450.00
VFD on 40HP single pump motor	Single Pump 40HP motor; no VFD installed, operates 8,760 hours/year	81,266	9.022	\$9,100.00
VFD on 50HP single pump motor	Single Pump 50HP motor; no VFD installed, operates 8,760 hours/year	101,047	11.219	\$10,660.00
VFD on 60HP single pump motor	Single Pump 60HP motor; no VFD installed, operates 8,760 hours/year	120,736	13.405	\$12,000.00
VFD on 75HP single pump motor	Single Pump 75HP motor; no VFD installed, operates 8,760 hours/year	150,132	16.668	\$14,650.00
VFD on 100HP single pump motor	Single Pump 100HP motor; no VFD installed, operates 8,760 hours/year	198,838	22.076	\$21,125.00
VFD on 125HP single pump motor	Single Pump 125HP motor; no VFD installed, operates 8,760 hours/year	247,265	27.452	\$26,400.00
VFD on 150HP single pump motor	Single Pump 150HP motor; no VFD installed, operates 8,760 hours/year	295,472	32.804	\$31,400.00
VFD on 200HP single pump motor	Single Pump 200HP motor; no VFD installed, operates 8,760 hours/year	391,370	43.451	\$41,150.00
VFD on 250HP single pump motor	Single Pump 250HP motor; no VFD installed, operates 8,760 hours/year	486,728	54.038	\$49,400.00
VFD on 300HP or larger single pump motor	Single Pump 300HP or larger motor; no VFD installed, operates 8,760 hours/year	581,660	64.578	\$58,080.00
VFDs on 5HP duplex pump motors	Duplex Pump 5HP motor; no VFDs installed, minimum combined runtime of the pumps is 8,760 hours/year	10,686	1.186	\$4,500.00
VFDs on 7.5HP duplex pump motors	Duplex Pump 7.5HP motor; no VFDs installed, minimum combined runtime of the pumps is 8,760 hours/year	15,868	1.762	\$6,600.00
VFDs on 10HP duplex pump motors	Duplex Pump 10HP motor; no VFDs installed, minimum combined runtime of the pumps is 8,760 hours/year	21,008	2.332	\$8,300.00

MEASURE DESCRIPTION	BASE MEASURE	ENERGY SAVINGS [kWh]	PEAK DEMAND SAVINGS [kW]	INSTANT DISCOUNT ⁽¹⁾ [\$]
VFDs on 15HP duplex pump motors	Duplex Pump 15HP motor; no VFDs installed, minimum combined runtime of the pumps is 8,760 hours/year	31,202	3.464	\$9,250.00
VFDs on 20HP duplex pump motors	Duplex Pump 20HP motor; no VFDs installed, minimum combined runtime of the pumps is 8,760 hours/year	41,313	4.587	\$10,500.00
VFDs on 25HP duplex pump motors	Duplex Pump 25HP motor; no VFDs installed, minimum combined runtime of the pumps is 8,760 hours/year	51,365	5.703	\$11,700.00
VFDs on 30HP duplex pump motors	Duplex Pump 30HP motor; no VFDs installed, minimum combined runtime of the pumps is 8,760 hours/year	61,369	6.813	\$13,250.00
VFDs on 40HP duplex pump motors	Duplex Pump 40HP motor; no VFDs installed, minimum combined runtime of the pumps is 8,760 hours/year	81,266	9.022	\$17,000.00
VFDs on 50HP duplex pump motors	Duplex Pump 50HP motor; no VFDs installed, minimum combined runtime of the pumps is 8,760 hours/year	101,047	11.219	\$21,125.00
VFDs on 60HP duplex pump motors	Duplex Pump 60HP motor; no VFDs installed, minimum combined runtime of the pumps is 8,760 hours/year	120,736	13.405	\$23,205.00
VFDs on 75HP duplex pump motors	Duplex Pump 75HP motor; no VFDs installed, minimum combined runtime of the pumps is 8,760 hours/year	150,132	16.668	\$25,805.00
VFDs on 100HP duplex pump motors	Duplex Pump 100HP motor; no VFDs installed, minimum combined runtime of the pumps is 8,760 hours/year	198,838	22.076	\$31,915.00
VFDs on 125HP duplex pump motors	Duplex Pump 125HP motor; no VFDs installed, minimum combined runtime of the pumps is 8,760 hours/year	247,265	27.452	\$45,045.00
VFDs on 150HP or larger duplex pump motors	Duplex Pump 150HP or larger motor; no VFDs installed, minimum combined runtime of the pumps is 8,760 hours/year	295,472	32.804	\$56,810.00
VFD on 3HP fan motor	3HP fan motor; no VFD installed, operates 8,760 hours/year	9,369	1.040	\$3,100.00
VFD on 5HP fan motor	5HP fan motor; no VFD installed, operates 8,760 hours/year	15,416	1.712	\$4,350.00
VFD on 7.5HP fan motor	7.5HP fan motor; no VFD installed, operates 8,760 hours/year	22,892	2.542	\$5,550.00
VFD on 10HP fan motor	10HP fan motor; no VFD installed, operates 8,760 hours/year	30,307	3.365	\$6,350.00
VFD on 15HP fan motor	15HP fan motor; no VFD installed, operates 8,760 hours/year	45,013	4.997	\$6,850.00
VFD on 20HP fan motor	20HP fan motor; no VFD installed, operates 8,760 hours/year	59,600	6.617	\$7,500.00
VFD on 25HP fan motor	25HP fan motor; no VFD installed, operates 8,760 hours/year	74,100	8.227	\$8,250.00
VFD on 30HP fan motor	30HP fan motor; no VFD installed, operates 8,760 hours/year	88,533	9.829	\$9,250.00
VFD on 40HP fan motor	40HP fan motor; no VFD installed, operates 8,760 hours/year	117,237	13.016	\$11,250.00
VFD on 50HP fan motor	50HP fan motor; no VFD installed, operates 8,760 hours/year	145,774	16.184	\$12,900.00
VFD on 60HP fan motor	60HP fan motor; no VFD installed, operates 8,760 hours/year	174,179	19.338	\$14,700.00
VFD on 75HP fan motor	75HP fan motor; no VFD installed, operates 8,760 hours/year	216,586	24.046	\$17,750.00
VFD on 100HP fan motor	100HP fan motor; no VFD installed, operates 8,760 hours/year	286,851	31.847	\$22,600.00
VFD on 125HP fan motor	125HP fan motor; no VFD installed, operates 8,760 hours/year	356,713	39.604	\$27,400.00
VFD on 150HP fan motor	150HP fan motor; no VFD installed, operates 8,760 hours/year	426,259	47.325	\$32,400.00
VFD on 200HP fan motor	200HP fan motor; no VFD installed, operates 8,760 hours/year	564,605	62.684	\$42,150.00

MEASURE DESCRIPTION	BASE MEASURE	ENERGY SAVINGS [kWh]	PEAK DEMAND SAVINGS [kW]	INSTANT DISCOUNT ⁽¹⁾ [\$]
VFD on 250HP fan motor	250HP fan motor; no VFD installed, operates 8,760 hours/year	702,172	77.957	\$51,750.00
VFD on 300HP or larger fan motor	300HP or larger fan motor; no VFD installed, operates 8,760 hours/year	839,124	93.162	\$61,500.00
1HP VFD for Non-Continuous Operations	1HP motor; no VFD installed, operates a minimum of 2,000 hours/year. Must operate in the cooling season (June – August)	1,007	0.112	\$500.00
1.5HP VFD for Non-Continuous Operations	1.5HP motor; no VFD installed, operates a minimum of 2,000 hours/year. Must operate in the cooling season (June – August)	1,493	0.166	\$700.00
2HP VFD for Non-Continuous Operations	2HP motor; no VFD installed, operates a minimum of 2,000 hours/year. Must operate in the cooling season (June – August)	1,991	0.221	\$930.00
3HP VFD for Non-Continuous Operations	3HP motor; no VFD installed, operates a minimum of 2,000 hours/year. Must operate in the cooling season (June – August)	2,887	0.321	\$1,340.00
5HP VFD for Non-Continuous Operations	5HP motor; no VFD installed, operates a minimum of 2,000 hours/year. Must operate in the cooling season (June – August)	4,811	0.534	\$2,220.00
7.5HP VFD for Non-Continuous Operations	7.5HP motor; no VFD installed, operates a minimum of 2,000 hours/year. Must operate in the cooling season (June – August)	7,098	0.788	\$3,270.00
10HP VFD for Non-Continuous Operations	10HP motor; no VFD installed, operates a minimum of 2,000 hours/year. Must operate in the cooling season (June – August)	9,391	1.043	\$4,300.00
15HP VFD for Non-Continuous Operations	15HP motor; no VFD installed, operates a minimum of 2,000 hours/year. Must operate in the cooling season (June – August)	13,890	1.542	\$5,050.00
20HP VFD for Non-Continuous Operations	20HP motor; no VFD installed, operates a minimum of 2,000 hours/year. Must operate in the cooling season (June – August)	18,520	2.056	\$5,520.00
25HP VFD for Non-Continuous Operations	25HP motor; no VFD installed, operates a minimum of 2,000 hours/year. Must operate in the cooling season (June – August)	23,002	2.554	\$6,150.00
30HP VFD for Non-Continuous Operations	30HP motor; no VFD installed, operates a minimum of 2,000 hours/year. Must operate in the cooling season (June – August)	27,455	3.048	\$6,600.00
40HP VFD for Non-Continuous Operations	40HP motor; no VFD installed, operates a minimum of 2,000 hours/year. Must operate in the cooling season (June – August)	36,607	4.064	\$8,450.00
50HP VFD for Non-Continuous Operations	50HP motor; no VFD installed, operates a minimum of 2,000 hours/year. Must operate in the cooling season (June – August)	45,565	5.059	\$10,150.00
60HP VFD for Non-Continuous Operations	60HP motor; no VFD installed, operates a minimum of 2,000 hours/year. Must operate in the cooling season (June – August)	54,390	6.039	\$11,880.00
75HP VFD for Non-Continuous Operations	75HP motor; no VFD installed, operates a minimum of 2,000 hours/year. Must operate in the cooling season (June – August)	67,988	7.548	\$14,510.00
100HP VFD for Non-Continuous Operations	100HP motor; no VFD installed, operates a minimum of 2,000 hours/year. Must operate in the cooling season (June – August)	90,271	10.022	\$19,750.00
125HP VFD for Non-Continuous Operations	125HP motor; no VFD installed, operates a minimum of 2,000 hours/year. Must operate in the cooling season (June – August)	112,840	12.528	\$24,550.00
150HP VFD for Non-Continuous Operations	150HP motor; no VFD installed, operates a minimum of 2,000 hours/year. Must operate in the cooling season (June – August)	134,840	14.970	\$29,650.00

MEASURE DESCRIPTION	BASE MEASURE	ENERGY SAVINGS [kWh]	PEAK DEMAND SAVINGS [kW]	INSTANT DISCOUNT ⁽¹⁾ [\$]
200HP VFD for Non-Continuous Operations	200HP motor; no VFD installed, operates a minimum of 2,000 hours/year. Must operate in the cooling season (June – August)	179,790	19.961	\$39,250.00
250HP VFD for Non-Continuous Operations	250HP motor; no VFD installed, operates a minimum of 2,000 hours/year. Must operate in the cooling season (June – August)	225,250	25.008	\$48,850.00
300HP or Larger VFD for Non-Continuous Operations	300HP motor; no VFD installed, operates a minimum of 2,000 hours/year. Must operate in the cooling season (June – August)	270,300	30.010	\$57,500.00
CO Sensor to control garage fan(s)	Parking garage with no CO control. Garage fan(s) operate 8760 hours/year	6,409	0.732	\$1,755.00

(1) All costs exclude HST